AH.#10

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Lee, Jong Y.
- (ii) TITLE OF INVENTION: PURIFIED HUMAN ERYTHROPOIETIN RECEPTOR PROTEIN FRAGMENT AND ANTIBODIES DERIVED THEREFROM
- (iii) NUMBER OF SEQUENCES: 5
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Fish & Richardson P.C., P.A.
 - (B) STREET: 60 South Sixth Street, Suite 3300
 - (C) CITY: Minneapolis
 - (D) STATE: MN
 - (E) COUNTRY: USA
 - (F) ZIP: 55402
 - (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM compatible (C) OPERATING SYSTEM: DOS

 - (D) SOFTWARE: FastSEQ for Windows Version 2.0
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER: 09/016,159
 - (B) FILING DATE: 30-JAN-1998
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 08/876,227
 - (B) FILING DATE: 16-JUN-1997
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 08/734,097
 - (B) FILING DATE: 21-OCT-1996
- (vi) PRIOR APPLICATION DATA:
 - (A) APPLICATION NUMBER: 08/460,525
 - (B) FILING DATE: 02-JUN-1995
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Ellinger, Mark S.
 - (B) REGISTRATION NUMBER: 34,812
 - (C) REFERENCE/DOCKET NUMBER: 07004/002004
 - (ix) TELECOMMUNICATION INFORMATION:
 - (A) TELEPHONE: 612/335-5070
 - (B) TELEFAX: 612/288-9696
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 23 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: synthetic DNA

- (iii) HYPOTHETICAL: NO
- (iv) ANTI-SENSE: NO
- (ix) FEATURE:

(A) NAME/KEY: BamHl linker ar 5' end followed by sequence for amino acids 25 through 29 of the full length human Epor protein. Forward primer for Sequence ID No. 2."

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

TTGGATCC GCG CCC CCG CCT A AC
Ala Pro Pro Pro
1

23

- (2) INFORMATION FOR SEQ ID NO:2:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 22 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: synthetic DNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (ix) FEATURE:

(A) NAME/KEY: EcoR1 linker followed by sequence complementary to coding sequence for amino acids 226 through 222 of full length human EpoR protein. Reverse primer for Sequence ID No. 1.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

TGAATTCGGG GTCCAGGTCG CT

22

- (2) INFORMATION FOR SEQ ID NO:3:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: other nucleic acid
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (vi) ORIGINAL SOURCE:
 - (A) ORGANISM: Homo sapiens
 - (vii) IMMEDIATE SOURCE:
 - (B) CLONE: pGEX-2T, Pharmacia (Mechanicsburg, PA)

(ix) FEATURE:

(A) NAME/KEY: Thrombin Cleavage Site in plasmid vector pGEX-2T."

- (x) PUBLICATION INFORMATION:
 - (A) AUTHORS: Smith, D.B. Johnson, K.S.
 - (B) TITLE: Single-step purification of polypeptides expressed in Escherichia coli as fusions with glutathione-S-transferase
 - (D) VOLUME: 67 (F) PAGES: 31-40 (G) DATE: 1988
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

CTG GTT CCG CGT GGA T CC Leu Val Pro Arg Gly 18

(2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 1527 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: double
 - (D) TOPOLOGY: linear
- (x) PUBLICATION INFORMATION:
 - (A) AUTHORS: Winkelmann , J. C., et al.
 - (C) JOURNAL: Blood
 - (D) VOLUME: 76
 - (E) ISSUE: 1
 - (F) PAGES: 24-30
 - (G) DATE: 1990
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

N	let	Asp	His	Gly	Ala	Ser	Leu	Trp	Pro	Gln	Gly	Ser	CTT Leu 15	TGT Cys	48
				_							 			02.0	~~

CTC CTG CTC GCT GGG GCC GCC TGG GCG CCC CCG CCT AAC CTC CCG GAC
Leu Leu Ala Gly Ala Ala Trp Ala Pro Pro Pro Asn Leu Pro Asp
20 25 30

CCC AAG TTC GAG AGC AAA GCG GCC TTG CTG GCG GCC CGG GGG CCC GAA

Pro Lys Phe Glu Ser Lys Ala Ala Leu Leu Ala Ala Arg Gly Pro Glu

35

40

45

GAG CTT CTG TGC TTC ACC GAG CGG TTG GAG GAC TTG GTG TGT TTC TGG
Glu Leu Leu Cys Phe Thr Glu Arg Leu Glu Asp Leu Val Cys Phe Trp
50 55 60

GAG GAA GCG GCG AGC GCT GGG GTG GGC CCG GGC AAC TAC AGC TTC TCC
Glu Glu Ala Ala Ser Ala Gly Val Gly Pro Gly Asn Tyr Ser Phe Ser
65 70 75 80

TAC CAG CTC GAG GAT GAG CCA TGG AAG CTG TGT CGC CTG CAC CAG GCT

Tyr Gln Leu Glu Asp Glu Pro Trp Lys Leu Cys Arg Leu His Gln Ala

85 90 95

CCC Pro	ACG Thr	GCT Ala	CGT Arg 100	GGT Gly	CGG Arg	GTG Val	CGC Arg	TTC Phe 105	TGG Trp	TGT Cys	TCG Ser	CTG Leu	CCT Pro 110	ACA Thr	GCC Ala	336
GAC Asp	ACG Thr	TCG Ser 115	AGC Ser	TTC Phe	GTG Val	CCC Pro	CTA Leu 120	GAG Glu	TTG Leu	CGC Arg	GTC Val	ACA Thr 125	GCA Ala	GCC Ala	TCC Ser	384
GJY GGC	GCT Ala 130	CCG Pro	CGA Arg	TAT Tyr	CAC His	CGT Arg 135	GTC Val	ATC Ile	CAC His	ATC Ile	AAT Asn 140	GAA Glu	GTA Val	GTG Val	CTC Leu	432
CTA Leu 145	GAC Asp	GCC Ala	CCC Pro	GTG Val	GGG Gly 150	CTG Leu	GTG Val	GCG Ala	CGG Arg	TTG Leu 155	GCT Ala	GAC Asp	GAG Glu	AGC Ser	GGC Gly 160	480
CAC His	GTA Val	GTG Val	TTG Leu	CGC Arg 165	TGG Trp	CTC Leu	CCG Pro	CCG Pro	CCT Pro 170	GAG Glu	ACA Thr	CCC Pro	ATG Met	ACG Thr 175	TCT Ser	528
CAC His	ATC Ile	CGC	TAC Tyr 180	GAG Glu	GTG Val	GAC Asp	GTC Val	TCG Ser 185	GCC Ala	GGC	AAC Asn	CGG Arg	CCA Pro 190	GGG GGG	AGC Ser	57 6
GTA Val	CAG Gln	AGG Arg 195	GTG Val	GAG Glu	ATC Ile	CTG Leu	GAG Glu 200	GGC Gly	Arg	ACC Thr	GAG Glu	TGT Cys 205	GTG Val	CTG Leu	AGC Ser	624
AAC Asn	CTG Leu 210	CGG Arg	GGC Gly	CGG Arg	ACG Thr	CGC Arg 215	TAC Tyr	ACC Thr	TTC Phe	GCC Ala	GTC Val 220	CGC Arg	GCG Ala	CGT Arg	ATG Met	672
GCT Ala 225	GAG Glu	CCG Pro	AGC Ser	TTC Phe	GGC Gly 230	GGC Gly	TTC Phe	TGG Trp	AGC Ser	GCC Ala 235	TGG Trp	TCG Ser	GAG Glu	CCT Pro	GTG Val 240	720
TCG Ser	CTG Leu	CTG Leu	GAG Glu	CCT Pro 245	AGC Ser	GAC Asp	CTG Leu	GAC Asp	CCC Pro 250	CTC Leu	ATC Ile	CTG Leu	ACG Thr	CTC Leu 255	TCC Ser	768
CTC Leu	ATC Ile	CTC Leu	GTG Val 260	GTC Val	ATC Ile	CTG Leu	GTG Val	CTG Leu 265	CTG Leu	ACC Thr	GTG Val	CTC Leu	GCG Ala 270	CTG Leu	CTC Leu	816
TCC Ser	CAC His	CGC Arg 275	CGG Arg	GCT Ala	CTG Leu	AAG Lys	CAG Gln 280	Lys	ATC Ile	TGG Trp	CCT Pro	GGC Gly 285	ATC Ile	CCG Pro	AGC Ser	864
CCA Pro	GAG Glu 290	Ser	GAG Glu	TTT Phe	GAA Glu	GGC Gly 295	CTC Leu	TTC Phe	ACC Thr	ACC Thr	CAC His 300	AAG Lys	GGT Gly	AAC Asn	TTC Phe	912
CAG Gln 305	Leu	TGG	CTG Leu	TAC Tyr	CAG Gln 310	. Asn	GAT Asp	GGC Gly	TGC	CTG Leu 315	Trp	TGG Trp	AGC Ser	CCC	350 CAa LCC	960
ACC Thr	CCC Pro	TTC Phe	ACG Thr	GAG Glu 325	Asp	CCA Pro	CCI	GCT Ala	TCC Ser 330	Leu	GAA Glu	GTC Val	CTC Leu	TCA Ser 335	GAG Glu	1008
CGC	TGC Cys	TGG	GGG Gly	ACG Thr	ATG	CAG Gln	GCA Ala	GTG Val	GAG Glu	CCG Pro	GGG Gly	ACA Thr	GAT Asp	GAT Asp	GAG Glu	1056

345 340 GGC CCC CTG CTG GAG CCA GTG GGC AGT GAG CAT GCC CAG GAT ACC TAT 1104 Gly Pro Leu Leu Glu Pro Val Gly Ser Glu His Ala Gln Asp Thr Tyr 360 CTG GTG CTG GAC AAA TGG TTG CTG CCC CGG AAC CCG CCC AGT GAG GAC 1152 Leu Val Leu Asp Lys Trp Leu Leu Pro Arg Asn Pro Pro Ser Glu Asp 375 380 CTC CCA GGG CCT GGT GGC AGT GTG GAC ATA GTG GCC ATG GAT GAA GGC 1200 Leu Pro Gly Pro Gly Gly Ser Val Asp Ile Val Ala Met Asp Glu Gly 390 TCA GAA GCA TCC TCC TGC TCA TCT GCT TTG GCC TCG AAG CCC AGC CCA 1248 Ser Glu Ala Ser Ser Cys Ser Ser Ala Leu Ala Ser Lys Pro Ser Pro 1296 GAG GGA GCC TCT GCT GCC AGC TTT GAG TAC ACT ATC CTG GAC CCC AGC Glu Gly Ala Ser Ala Ala Ser Phe Glu Tyr Thr Ile Leu Asp Pro Ser 420 TCC CAG CTC TTG CGT CCA TGG ACA CTG TGC CCT GAG CTG CCC CCT ACC 1344 Ser Gln Leu Leu Arg Pro Trp Thr Leu Cys Pro Glu Leu Pro Pro Thr 435 CCA CCC CAC CTA AAG TAC CTG TAC CTT GTG GTA TCT GAC TCT GGC ATC 1392 Pro Pro His Leu Lys Tyr Leu Tyr Leu Val Val Ser Asp Ser Gly Ile 455 450 TCA ACT GAC TAC AGC TCA GGG GAC TCC CAG GGA GCC CAA GGG GGC TTA 1440 Ser Thr Asp Tyr Ser Ser Gly Asp Ser Gln Gly Ala Gln Gly Gly Leu 465 TCC GAT GGG CCC TAC TCC AAC CCT TAT GAG AAC AGC CTT ATC CCA GCC 1488 Ser Asp Gly Pro Tyr Ser Asn Pro Tyr Glu Asn Ser Leu Ile Pro Ala 485 490 GCT GAG CCT CTG CCC CCC AGC TAT GTG GCT TGC TCT TAG 1527 Ala Glu Pro Leu Pro Pro Ser Tyr Val Ala Cys Ser 505

(2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 508 amino acids
 - (B) TYPE: amino acid
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Met Asp His Leu Gly Ala Ser Leu Trp Pro Gln Val Gly Ser Leu Cys
1 10 15

Leu Leu Leu Ala Gly Ala Ala Trp Ala Pro Pro Pro Asn Leu Pro Asp 20 25 30

Pro Lys Phe Glu Ser Lys Ala Ala Leu Leu Ala Ala Arg Gly Pro Glu
35 40 45

Glu Leu Leu Cys Phe Thr Glu Arg Leu Glu Asp Leu Val Cys Phe Trp Glu Glu Ala Ala Ser Ala Gly Val Gly Pro Gly Asn Tyr Ser Phe Ser Tyr Gln Leu Glu Asp Glu Pro Trp Lys Leu Cys Arg Leu His Gln Ala Pro Thr Ala Arg Gly Arg Val Arg Phe Trp Cys Ser Leu Pro Thr Ala Asp Thr Ser Ser Phe Val Pro Leu Glu Leu Arg Val Thr Ala Ala Ser Gly Ala Pro Arg Tyr His Arg Val Ile His Ile Asn Glu Val Val Leu Leu Asp Ala Pro Val Gly Leu Val Ala Arg Leu Ala Asp Glu Ser Gly 155 His Val Val Leu Arg Trp Leu Pro Pro Pro Glu Thr Pro Met Thr Ser 170 His Ile Arg Tyr Glu Val Asp Val Ser Ala Gly Asn Arg Pro Gly Ser Val Gln Arg Val Glu Ile Leu Glu Gly Arg Thr Glu Cys Val Leu Ser Asn Leu Arg Gly Arg Thr Arg Tyr Thr Phe Ala Val Arg Ala Arg Met 215 Ala Glu Pro Ser Phe Gly Gly Phe Trp Ser Ala Trp Ser Glu Pro Val Ser Leu Leu Glu Pro Ser Asp Leu Asp Pro Leu Ile Leu Thr Leu Ser Leu Ile Leu Val Val Ile Leu Val Leu Leu Thr Val Leu Ala Leu Leu 265 Ser His Arg Arg Ala Leu Lys Gln Lys Ile Trp Pro Gly Ile Pro Ser Pro Glu Ser Glu Phe Glu Gly Leu Phe Thr His Lys Gly Asn Phe Gln Leu Trp Leu Tyr Gln Asn Asp Gly Cys Leu Trp Trp Ser Pro Cys Thr Pro Phe Thr Glu Asp Pro Pro Ala Ser Leu Glu Val Leu Ser Glu Arg Cys Trp Gly Thr Met Gln Ala Val Glu Pro Gly Thr Asp Asp Glu 345 Gly Pro Leu Leu Glu Pro Val Gly Ser Glu His Ala Gln Asp Thr Tyr Leu Val Leu Asp Lys Trp Leu Leu Pro Arg Asn Pro Pro Ser Glu Asp 375

Leu Pro Gly Pro Gly Gly Ser Val Asp Ile Val Ala Met Asp Glu Gly 385 390 395 400

Ser Glu Ala Ser Ser Cys Ser Ser Ala Leu Ala Ser Lys Pro Ser Pro 405 410 415

Glu Gly Ala Ser Ala Ala Ser Phe Glu Tyr Thr Ile Leu Asp Pro Ser 420 425 430

Ser Gln Leu Leu Arg Pro Trp Thr Leu Cys Pro Glu Leu Pro Pro Thr 435 440 445

Pro Pro His Leu Lys Tyr Leu Tyr Leu Val Val Ser Asp Ser Gly Ile 450 455 460

Ser Thr Asp Tyr Ser Ser Gly Asp Ser Gln Gly Ala Gln Gly Gly Leu 465 470 475 480

Ser Asp Gly Pro Tyr Ser Asn Pro Tyr Glu Asn Ser Leu Ile Pro Ala 485 490 495

Ala Glu Pro Leu Pro Pro Ser Tyr Val Ala Cys Ser 500 505